

IRON AND STEEL PRODUCTS

Solid Wire For GMAW

Copper Coated and Copper Free

• Product description:

Welding wires produced by Zanjan Wire Industry Is a copper free Mn-Si-alloyed ER70S-6, G3Sil solid wire for the GMAW.

Characteristic features include excellent start properties; trouble-free feeding at high wire speeds and lengthy feed distances; a very stable arc at high welding currents; extremely low levels of spatter; low fume emission; reduced contact tip wear and improved protection against carrion of the wire.

Product Standard:

DIN EN ISO 14341	Product Code: G3Si 1	
AWS A5.18	Product Code: ER70S-6	
JIS Z 3312	Product Code : YGW12	

Technical specifications:

1. Chemical composition of welding wire

С	Si	Mn	Р	S
0.06-0.15	0.80-1.15	1.40-1.85	Max 0.025	Max 0.035

2. Mechanical properties of all-weld

Yield stress (MPa)	Tensile Strength (MPa)	Elongation (%)	Impact Test
Min 400	Min 480	Min 22	According to EN and AWS



Packaging

	Wire diam	eter (mm)		wei	ght
0.80	1.00	1.20	1.60	Spool weight	Drum weight
√	√	√	√	15 kg	250 kg

Welding parameters

Arc type	Wire Diameter (mm)	Current (A)	Voltage (V)
Short Arc	0.80	25-85	11-19
Short Arc	1.00	110-150	20-24
Short Arc	1.20	230-285	17-28
Spray Arc	1.20	280-340	35-44
Spray Arc	1.60	280-480	35-44































IRON AND STEEL PRODUCTS